

# **VOLVO FMX**

PRODUCT OVERVIEW









## ROBUST ROOF HATCH.

For tough use in harsh environments.

## CAB ROOF PROTECTION.

For harsh environments.

## EXTRA LOW CABS AVAILABLE.

Day cab or sleeper cab.

## **EXCELLENT VISIBILITY.**

Large window areas and a low door line.

## NEW VOLVO IRON MARK.

For an iconic look.

## PASSENGER CORNER CAMERA.

Cover areas close to the truck.

## **EASY ENTRY AND EXIT.**

Improved ergonomic footstep.

## REMOTE STEERING.

Uses Volvo Dynamic Steering to drive the truck from outside the cab.

## WELL-PROTECTED HEADLAMPS.

Ready for tough use.

## TOWING DEVICE.

Can pull up to 32 tonnes.

## SKID PLATE.

Protects the engine oil sump and other vital parts.

**HEAVY-DUTY BUMPER.**Made of steel and ready for tough use.

MORE LOAD ON THE AXLES. Air suspended front axle take up to 10 tonnes.



## Exterior trim.

Choose between hundreds of colours to suit your taste and your practical needs. To fully explore the different exterior, use the Volvo Truck Builder on www.volvotrucks.com



**THE VOLVO FMX TRIM.** Comes with a black grille and thunder grey bumper, mirrors and other details. Only the body is painted.







## Interior trim levels.

Choose between the three trim levels Robust, Dynamic and Progressive – see description below. On top of this, you can choose from a wide range of colours. You'll find your style. To fully explore the different interior trim levels, use the Volvo Truck Builder on www.volvotrucks.com



ROBUST TRIM. Vinyl upholstery. Raven rubber mats.



**DYNAMIC TRIM.** Textile upholstery. Raven rubber mats.



**PROGRESSIVE TRIM.** Plush or leather upholstery. Raven rubber mats.

# Cab specifications.

## LOW DAY CAB



DAY CAB



**LOW SLEEPER CAB** 







2495

SLEEPER CAB



**GLOBETROTTER CAB** 




**CREW CAB** 











## Chassis.



## Powertrain.

## **Engines**

11 LITRE	Max power	Max torque
<b>D11K330</b> (245 kW)	330 hp at 1700–1800 r/min	1600 Nm at 950–1400 r/min
<b>D11K380</b> (280 kW)	380 hp at 1700–1800 r/min	1800 Nm at 950–1400 r/min
<b>D11K430</b> (317 kW)	430 hp at 1700–1800 r/min	2050 Nm at 1058–1400 r/min
<b>D11K460</b> (339 kW)	460 hp at 1700–1800 r/min	2200 Nm at 1050-1400 r/min
13 LITRE		
<b>D13K420</b> (309 kW)	420 hp at 1400–1800 r/min	2100 Nm at 860–1400 r/min
<b>D13K460</b> (345 kW)	460 hp at 1400–1800 r/min	2300 Nm at 900–1400 r/min
<b>D13K500</b> (368 kW)	500 hp at 1530–1800 r/min	2500 Nm at 980–1270 r/min
<b>D13K540</b> (397 kW)	540 hp at 1460–1800 r/min	2600 Nm at 1000-1460 r/min

## **Gearboxes**

### I-SHIF1

12-speed splitter and range gearbox with automated gearchanging system. The version with crawler gears enables slow driving with full control of power.

Туре	Top gear	Engine torque (Nm)	GCW approval (tonnes)
AT2412F	Direct	2400	44
AT2612F	Direct	2600	100
ATO2612F	Overdrive	2600	100
SPO2812 Dual Clutch	Overdrive	2800	80

Some of the equipment shown or mentioned may only be available as options or accessories and may vary from one country to another in accordance with local legislation. Your Volvo dealer will be happy to provide you with more detailed information. Colours may vary somewhat owing to the limitations of the printing process. We reserve the right to alter product specifications without prior notification.

